# Iveco OAT Extended Life Coolant/Antifreeze -Concentrate

Version 1.0	Revision Date 27.07.2020	Print Date 24.08.2020
SECTION 1. PRODUCT AND COI	MPANY IDENTIFICATION	
Product name	: Iveco OAT Extended Life Coolant	t/Antifreeze - Concentrate
Product code	: 00117083	
Manufacturer or supplier's of Supplier	details : Shell Markets (Middle East) Limit 8th floor, Dubai Convention Towe Za'abeel	
Telephone Telefax	307 Dubai Utd.Arab Emir. : (+971) 800035704494 : (+971) 43321591	
Emergency telephone number Email Contact for Safety Data Sheet	: +60383168800 (OUTSIDE UAE); UAE) : lubricantSDS@shell.com	800035704494 (WITHIN
Recommended use of the c	hemical and restrictions on use	
Recommended use	: Antifreeze and coolant.	

### **SECTION 2. HAZARDS IDENTIFICATION**

GHS Classification	
Acute toxicity (Oral) Specific target organ toxicity - repeated exposure	: Category 4 : Category 2 (Kidney)
GHS label elements	
Hazard pictograms	
Signal word	: Warning
Hazard statements	<ul> <li>PHYSICAL HAZARDS: Not classified as a physical hazard under GHS criteria. HEALTH HAZARDS: H302 Harmful if swallowed. H373 May cause damage to organs through prolonged or repeated exposure if swallowed. ENVIRONMENTAL HAZARDS: Not classified as an environmental hazard under GHS criteria.</li> </ul>
Precautionary statements	: <b>Prevention:</b> P264 Wash hands thoroughly after handling.
<i></i>	

# Iveco OAT Extended Life Coolant/Antifreeze -Concentrate

Version 1.0Revision Date 27.07.2020Print Date 24.08.2020P270 Do not eat, drink or smoke when using this product.

#### **Response:**

P301 + P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P330 Rinse mouth.

#### Storage:

No precautionary phrases.

#### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Hazardous components which must be listed on the label: Contains Ethylene Glycol, CAS# 107-21-1.

#### Other hazards which do not result in classification

Intentional abuse, misuse or other massive exposure may cause multiple organ damage and or death.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Chemical nature

: Mixture of ethylene glycol, water and additives.

Hazardous components

Chemical name	CAS-No.	Classification	Concentration (%
			w/w)
Ethanediol	107-21-1	Acute Tox.4; H302	90 - 95
		STOT RE2; H373	
Diethylene glycol	111-46-6	Acute Tox.4; H302	5 - 15
Sodium benzoate	532-32-1	Eye Irrit.2A; H319	1 - 3

For explanation of abbreviations see section 16.

#### SECTION 4. FIRST-AID MEASURES

If inhaled	: No treatment necessary under normal conditions of use. If symptoms persist, obtain medical advice.
In case of skin contact	: Remove contaminated clothing. Flush exposed area with water and follow by washing with soap if available. If persistent irritation occurs, obtain medical attention.
In case of eye contact	: Flush eye with copious quantities of water. Remove contact lenses, if present and easy to do. Continue

# Iveco OAT Extended Life Coolant/Antifreeze -Concentrate

Version 1.0	Revision Date 27.07.2020	Print Date 24.08.2020
	rinsing. If persistent irritation occurs, obtain medical attention.	
If swallowed	: If swallowed, do not induce vomiti medical facility for additional treati spontaneously, keep head below I Rinse mouth.	ment. If vomiting occurs
Most important symptoms and effects, both acute and delayed	: Oil acne/folliculitis signs and symp of black pustules and spots on the Ingestion may result in nausea, vo	e skin of exposed areas.
Protection of first-aiders	: When administering first aid, ensu appropriate personal protective ec incident, injury and surroundings.	, ,
Notes to physician	: Treat symptomatically. Call a doctor or poison control cer	iter for guidance.

### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Foam, water spray or fog. Dry chemical powder, carbon dioxide, sand or earth may be used for small fires only.
Unsuitable extinguishing media	:	Do not use water in a jet.
Specific hazards during firefighting	:	Hazardous combustion products may include: A complex mixture of airborne solid and liquid particulates and gases (smoke). Carbon monoxide may be evolved if incomplete combustion occurs. Unidentified organic and inorganic compounds.
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Special protective equipment for firefighters	:	Proper protective equipment including chemical resistant gloves are to be worn; chemical resistant suit is indicated if large contact with spilled product is expected. Self-Contained Breathing Apparatus must be worn when approaching a fire in a confined space. Select fire fighter's clothing approved to relevant Standards (e.g. Europe: EN469).
Hazchem Code	:	NONE

### SECTION 6. ACCIDENTAL RELEASE MEASURES

# Iveco OAT Extended Life Coolant/Antifreeze -Concentrate

Version 1.0	Revision Date 27.07.2020	Print Date 24.08.2020
Personal precautions, protective equipment and emergency procedures	: Avoid contact with skin and eyes.	
Environmental precautions	: Local authorities should be advised cannot be contained.	if significant spillages
Methods and materials for containment and cleaning up	: For large liquid spills (> 1 drum), tra means such as vacuum truck to a s safe disposal. Do not flush away re as contaminated waste. Allow resid up with an appropriate absorbent m safely. Remove contaminated soil a	salvage tank for recovery or sidues with water. Retain lues to evaporate or soak naterial and dispose of
	For small liquid spills (< 1 drum), tra means to a labeled, sealable conta safe disposal. Allow residues to eva appropriate absorbent material and contaminated soil and dispose of s	iner for product recovery or aporate or soak up with an I dispose of safely. Remove
Additional advice	: For guidance on selection of person see Section 8 of this Safety Data S For guidance on disposal of spilled this Safety Data Sheet.	heet.
	Local authorities should be advised cannot be contained.	if significant spillages

#### SECTION 7. HANDLING AND STORAGE

General Precautions :	Use local exhaust ventilation if there is risk of inhalation of vapours, mists or aerosols. Use the information in this data sheet as input to a risk assessment of local circumstances to help determine appropriate controls for safe handling, storage and disposal of this material.
Advice on safe handling :	Avoid prolonged or repeated contact with skin. Avoid inhaling vapour and/or mists. When handling product in drums, safety footwear should be worn and proper handling equipment should be used. Properly dispose of any contaminated rags or cleaning materials in order to prevent fires.
Avoidance of contact :	Strong oxidising agents.
Storage	
Other data :	Keep container tightly closed and in a cool, well-ventilated place. Use properly labeled and closable containers. Store at ambient temperature.

# Iveco OAT Extended Life Coolant/Antifreeze -Concentrate

Version 1.0	Revision Date 27.07.2020	Print Date 24.08.2020
Packaging material	: Suitable material: For containers or steel or high density polyethylene. Unsuitable material: Zinc., Avoid c materials.	
Container Advice	: Polyethylene containers should no temperatures because of possible	

#### SECTION 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Components	CAS-No.	Value type	Control	Basis
		(Form of	parameters /	
		exposure)	Permissible	
			concentration	
Ethanediol	107-21-1	TWA	10 mg/m3	AU OEL
		(particulate)	_	
	Further infor	mation: Skin abso	orption	
Ethanediol		TWA	20 ppm	AU OEL
		(Vapour)	52 mg/m3	
	Further infor	mation: Skin abso	orption	
Ethanediol		STEL	40 ppm	AU OEL
		(Vapour)	104 mg/m3	
	Further infor	mation: Skin abso	orption	
Ethanediol	107-21-1	TWA	25 ppm	ACGIH
		(Vapour)		
Ethanediol		STEL	50 ppm	ACGIH
		(Vapour)		
Ethanediol		STEL	10 mg/m3	ACGIH
		(Inhalable	-	
		fraction,		
		Aerosol only)		

#### Components with workplace control parameters

#### Biological occupational exposure limits

No biological limit allocated.

#### **Monitoring Methods**

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls. For some substances biological monitoring may also be appropriate. Validated exposure measurement methods should be applied by a competent person and samples analysed by an accredited laboratory. Examples of sources of recommended exposure measurement methods are given below or

contact the supplier. Further national methods may be available.

National Institute of Occupational Safety and Health (NIOSH), USA: Manual of Analytical Methods http://www.cdc.gov/niosh/

# Iveco OAT Extended Life Coolant/Antifreeze -Concentrate

Version 1.0

Revision Date 27.07.2020

Print Date 24.08.2020

Occupational Safety and Health Administration (OSHA), USA: Sampling and Analytical Methods http://www.osha.gov/

Health and Safety Executive (HSE), UK: Methods for the Determination of Hazardous Substances http://www.hse.gov.uk/

Institut für Arbeitsschutz Deutschen Gesetzlichen Unfallversicherung (IFA), Germany http://www.dguv.de/inhalt/index.jsp

L'Institut National de Recherche et de Securité, (INRS), France http://www.inrs.fr/accueil

Engineering measures	<ul> <li>The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Select controls based on a risk assessment of local circumstances. Appropriate measures include: Adequate ventilation to control airborne concentrations.</li> </ul>
	Where material is heated, sprayed or mist formed, there is greater potential for airborne concentrations to be generated.
	<ul> <li>General Information:</li> <li>Define procedures for safe handling and maintenance of controls.</li> <li>Educate and train workers in the hazards and control measures relevant to normal activities associated with this product.</li> <li>Ensure appropriate selection, testing and maintenance of equipment used to control exposure, e.g. personal protective equipment, local exhaust ventilation.</li> <li>Drain down system prior to equipment break-in or maintenance.</li> <li>Retain drain downs in sealed storage pending disposal or subsequent recycle.</li> <li>Always observe good personal hygiene measures, such as washing hands after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be cleaned. Practice good housekeeping.</li> </ul>

### Personal protective equipment

#### **Protective measures**

Personal protective equipment (PPE) should meet recommended national standards. Check with PPE suppliers.

Respiratory protection	<ul> <li>No respiratory protection is ordinarily required under normal conditions of use.</li> <li>In accordance with good industrial hygiene practices, precautions should be taken to avoid breathing of material.</li> <li>If engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker</li> </ul>	
------------------------	---	--

# Iveco OAT Extended Life Coolant/Antifreeze -Concentrate

rsion 1.0	Revision Date 27.07.2020 Print Date 24.08.202
	health, select respiratory protection equipment suitable for the specific conditions of use and meeting relevant legislation. Check with respiratory protective equipment suppliers. Where air-filtering respirators are suitable, select an appropriate combination of mask and filter. Select a filter suitable for the combination of organic gases and vapours and particles [Type A/Type P boiling point >65°C (149°F)].
Hand protection Remarks	: Where hand contact with the product may occur the use of
	gloves approved to relevant standards (e.g. Europe: EN374, US: F739) made from the following materials may provide suitable chemical protection. PVC, neoprene or nitrile rubber gloves Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical resistance of glove material, dexterity. Always seek advice from glove suppliers. Contaminated gloves should be replaced. Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturizer is recommended.
	For continuous contact we recommend gloves with breakthrough time of more than 240 minutes with preference for > 480 minutes where suitable gloves can be identified. For short-term/splash protection we recommend the same but recognize that suitable gloves offering this level of protection may not be available and in this case a lower breakthrough time maybe acceptable so long as appropriate maintenance and replacement regimes are followed. Glove thickness is no a good predictor of glove resistance to a chemical as it is dependent on the exact composition of the glove material. Glove thickness should be typically greater than 0.35 mm depending on the glove make and model.
Eye protection	: If material is handled such that it could be splashed into eyes protective eyewear is recommended.
Skin and body protection	<ul> <li>Skin protection is not ordinarily required beyond standard work clothes.</li> <li>It is good practice to wear chemical resistant gloves.</li> </ul>
Thermal hazards	: Not applicable
Environmental exposure c	ontrols
General advice	: Take appropriate measures to fulfill the requirements of relevant environmental protection legislation. Avoid contamination of the environment by following advice given in Section 6. If necessary, prevent undissolved material from being discharged to water water. Weater water about he

being discharged to waste water. Waste water should be

# Iveco OAT Extended Life Coolant/Antifreeze -Concentrate

sion 1.0		Revision Date 27.07.2020 Print Date 24.08.20
		treated in a municipal or industrial waste water treatment pla before discharge to surface water. Local guidelines on emission limits for volatile substances must be observed for the discharge of exhaust air containing vapour.
TION 9. PHYSICAL AND CHE	MIC	CAL PROPERTIES
Appearance	:	Liquid at room temperature.
Colour	:	green
Odour	:	characteristic
Odour Threshold	:	Data not available
рН	:	Not applicable
Melting point/freezing point	:	<= -37 °C / <= -35 °F (50.0 hPa) Method: ASTM D1177
pour point		Data not available
Initial boiling point and boiling range	:	> 100 °C / 212 °Festimated value(s)
Flash point	:	Method: Unspecified Not applicable
Evaporation rate	:	Data not available
Flammability (solid, gas)	:	Data not available
Upper explosion limit	:	Typical 15 %(V)
Lower explosion limit	:	Typical 3 %(V)
Vapour pressure	:	Data not available
Relative vapour density	:	Data not available
Density	:	1.1222 kg/m3 (20 °C / 68 °F) Method: Unspecified
Solubility(ies)		
Water solubility	:	completely soluble
Solubility in other solvents	:	Data not available
Partition coefficient: n- octanol/water	:	Data not available
Auto-ignition temperature	:	> 200 °C / 392 °F

# Iveco OAT Extended Life Coolant/Antifreeze -Concentrate

Version 1.0	Revision Date 27.07.2020	Print Date 24.08.2020
Decomposition temperature	: Data not available	
Viscosity		
Viscosity, dynamic	: Data not available	
Viscosity, kinematic	: Method: Unspecified Not applicable	
Explosive properties	: Not classified	
Oxidizing properties	: Data not available	
Conductivity Molecular weight	<ul><li>This material is not expected to b</li><li>Not applicable</li></ul>	e a static accumulator.

#### SECTION 10. STABILITY AND REACTIVITY

Chemical stability	: Stable.
Possibility of hazardous reactions	: Reacts with strong oxidising agents.
Conditions to avoid	: Extremes of temperature and direct sunlight.
Incompatible materials	: Strong oxidising agents.
Hazardous decomposition products	: No decomposition if stored and applied as directed.

### SECTION 11. TOXICOLOGICAL INFORMATION

	Basis for assessment	: Information given is based on data on the components and the toxicology of similar products.Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for individual component(s).
	Exposure routes	: Skin and eye contact are the primary routes of exposure although exposure may occur following accidental ingestion.
Acı	ute toxicity	
	Product:	
	Acute oral toxicity	: LD50 rat: > 500 - 2,000 mg/kg Remarks: Harmful if swallowed.
	Acute inhalation toxicity	: LC 50 Rat: > 5 mg/l Exposure time: 4 h

# Iveco OAT Extended Life Coolant/Antifreeze -Concentrate

Version 1.0	Revision Date 27.07.2020	Print Date 24.08.2020
	Remarks: Low toxicity:	
Acute dermal toxicity	: LD50 Rabbit: > 5,000 mg/kg	

Remarks: Low toxicity:

#### Skin corrosion/irritation

#### Product:

Remarks: Slightly irritating to skin., Based on available data, the classification criteria are not met.

#### Serious eye damage/eye irritation

#### Product:

Remarks: Slightly irritating to the eye., Based on available data, the classification criteria are not met.

#### Respiratory or skin sensitisation

#### Product:

Remarks: Not a skin sensitiser. Based on available data, the classification criteria are not met.

#### **Chronic toxicity**

#### Germ cell mutagenicity

#### Product:

: Remarks: Non mutagenic, Based on available data, the classification criteria are not met.

#### Carcinogenicity

#### Product:

Remarks: Not a carcinogen., Based on available data, the classification criteria are not met.

Material	GHS/CLP Carcinogenicity Classification
Ethanediol	No carcinogenicity classification.
Diethylene glycol	No carcinogenicity classification.
Sodium benzoate	No carcinogenicity classification.

#### **Reproductive toxicity**

# **Iveco OAT Extended Life** Coolant/Antifreeze -**Concentrate**

Version 1.0

Revision Date 27.07.2020

Print Date 24.08.2020

Remarks: Not a developmental toxicant., Does not impair fertility., Based on available data, the classification criteria are not met.

#### STOT - single exposure

#### Product:

Product:

Remarks: Based on available data, the classification criteria are not met.

2

#### STOT - repeated exposure

#### **Product:**

Remarks: Kidney: can cause kidney damage.

#### Aspiration toxicity

#### Product:

Not an aspiration hazard.

#### **Further information**

#### **Product:**

Remarks: Slightly irritating to respiratory system.

Remarks: Inhalation of vapours or mists may cause irritation to the respiratory system.

#### **SECTION 12. ECOLOGICAL INFORMATION**

Basis for assessment	<ul> <li>Ecotoxicological data have not been determined specifically for this product.</li> <li>Information given is based on a knowledge of the components and the ecotoxicology of similar products.</li> <li>Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for individual component(s).</li> </ul>
Ecotoxicity	
Product:	
Toxicity to fish (Acute toxicity)	: Remarks: LC/EC/IC50 > 100 mg/l Practically non toxic: Based on available data, the classification criteria are not met.

Toxicity to crustacean (Acute

# Iveco OAT Extended Life Coolant/Antifreeze -Concentrate

Version 1.0	Revision Date 27.07.2020 Print Date 24.08.2020
toxicity)	Remarks: LC/EC/IC50 > 100 mg/l Practically non toxic: Based on available data, the classification criteria are not met.
Toxicity to algae/aquatic plants (Acute toxicity)	: Remarks: LC/EC/IC50 > 100 mg/I Practically non toxic: Based on available data, the classification criteria are not met.
Toxicity to fish (Chronic toxicity)	: Remarks: Data not available
Toxicity to crustacean (Chronic toxicity)	: Remarks: Data not available
Toxicity to microorganisms (Acute toxicity)	: Remarks: Data not available
Persistence and degradability	
Product:	
Biodegradability	: Remarks: Readily biodegradable.
Bioaccumulative potential	
Product:	
Bioaccumulation	: Remarks: Does not bioaccumulate significantly.
Partition coefficient: n- octanol/water	: Remarks: Data not available
Mobility in soil	
Product:	
Mobility	: Remarks: Liquid under most environmental conditions., If product enters soil, it will be highly mobile and may contaminate groundwater., Dissolves in water., Poses a significant risk of oxygen depletion in aquatic systems.
Other adverse effects	
no data available Product:	
Additional ecological information	: Does not have ozone depletion potential, photochemical ozone creation potential or global warming potential.

### SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	: Recover or recycle if possible. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste classification and disposal

# Iveco OAT Extended Life Coolant/Antifreeze -Concentrate

Version 1.0	Revision Date 27.07.2020Print Date 24.08.2020methods in compliance with applicable regulations.Do not dispose into the environment, in drains or in water courses	
	Waste product should not be allowed to ground water, or be disposed of into the Waste, spills or used product is danger	environment.
Contaminated packaging :	Dispose in accordance with prevailing re- to a recognized collector or contractor. the collector or contractor should be est Disposal should be in accordance with a national, and local laws and regulations	The competence of ablished beforehand. applicable regional,
Local legislation Remarks :	Disposal should be in accordance with a national, and local laws and regulations	

#### **SECTION 14. TRANSPORT INFORMATION**

#### **National Regulations**

#### ADG

Not regulated as a dangerous good

#### **International Regulations**

#### IATA-DGR

Not regulated as a dangerous good

#### IMDG-Code

Not regulated as a dangerous good

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied. MARPOL Annex 1 rules apply for bulk shipments by sea.

#### Special precautions for user

Remarks

: Special Precautions: Refer to Section 7, Handling & Storage, for special precautions which a user needs to be aware of or needs to comply with in connection with transport.

#### **SECTION 15. REGULATORY INFORMATION**

# Safety, health and environmental regulations/legislation specific for the substance or mixture

Standard for the Uniform : No poison schedule number allocated Scheduling of Medicines and

# Iveco OAT Extended Life Coolant/Antifreeze -Concentrate

Version 1.0

Revision Date 27.07.2020

Print Date 24.08.2020

Poisons

The regulatory information is not intended to be comprehensive. Other regulations may apply to this material.

Product classified as per Work Health Safety Regulations – Implementation of the Globally Harmonized System of Classification and Labelling of Chemicals (GHS) 2012 and SDS prepared as per national model code of practice for preparation of safety data sheet for Hazardous chemicals 2011 based on Globally Harmonized Classification version 3.

National Model Code of Practice for the Labelling of Workplace Hazardous Chemicals (2011).

Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG code). Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).

#### Other international regulations

#### The components of this product are reported in the following inventories:

EINECS	: Not established.
TSCA	: All components listed.
AICS	: All components listed.

#### **SECTION 16. OTHER INFORMATION**

#### Full text of H-Statements

H302	Harmful if swallowed.	
H319	Causes serious eye irritation.	
H373	May cause damage to organs through prolonged or repeated exposure.	
Full text of other abbreviations		

Acute Tox.	Acute toxicity
Eye Irrit.	Eye irritation
STOT RE	Specific target organ toxicity - repeated exposure

AICS - Australian Inventory of Chemical Substances; AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 -Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch -Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD

# Iveco OAT Extended Life Coolant/Antifreeze -Concentrate

Version 1.0Revision Date 27.07.2020Print Date 24.08.2020- Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety<br/>and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS -<br/>Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure<br/>Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of<br/>the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals;<br/>SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan<br/>Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic<br/>Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations<br/>Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very<br/>Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Date of preparation or review : 27.07.2020

#### **Further information**

Other information

: A vertical bar (|) in the left margin indicates an amendment from the previous version.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

AU / EN